2-Port Manual VGA/SVGA Video Switch (3x HD15F)

MODEL NUMBER: **B112-002-R**

Highlights
- 2-port HD15 VGA/SVGA Push-Button Switch
- Rugged Metal Case

System Requirements
- Computer with an HD15 port
- VGA or SVGA monitor with HD15M cable

Package Includes
- B112-002-R Manual VGA/SVGA 2 Position Switch

Description

Tripp Lite's 2-Port Manual VGA/SVGA Switch is the optimal solution for connecting two computers to one monitor or two monitors to one computer. The 2-Port Manual VGA/SVGA Switch features a fully-shielded rugged metal case with front-panel push-button switching. Interior printed circuit board design allows for crystal clear resolutions up to 1600x1280. It does not require any AC power to operate.

Features

- Connects two computers to one monitor or two monitors to one computer
- Fully-shielded rugged metal case with front-panel push button switch
- Does not require external power, software, or complicated set-up procedures

Specifications

OVERVIEW	
UPC Code	037332014269
Technology	VGA/SVGA

VIDEO	
Max Supported Video Resolution	1920 x 1080 @60Hz

INPUT	
Bus Powered	Yes
Product Length (in.)	4.41
Product Length (ft.)	0.37

![Tripp Lite logo]

Tripp Lite
1111 W. 35th Street
Chicago, IL 60609 USA
Telephone: 773.869.1234
www.tripplite.com

POWER	
Power Consumption (Watts)	0.5

PHYSICAL	
Material of Construction	Aluminum
Color	Silver
Shipping Dimensions (hwd / cm)	11.51 x 2.69 x 8.31
Shipping Dimensions (hwd / in.)	4.53 x 1.06 x 3.27
Shipping Weight (kg)	1.60
Shipping Weight (lbs.)	3.53
Unit Dimensions (hwd / in.)	0.94 x 4.4 x 2.7
Unit Packaging Type	Box
Unit Weight (lbs.)	0.33
Unit Weight (kg)	0.15

ENVIRONMENTAL	
Operating Temperature Range	14 to 131 °F (-10 to 55 °C)
Storage Temperature Range	5 to 131 °F (-15 to 55 °C)
Relative Humidity	5% to 90% RH, Non-Condensing
BTUs	1.7 BTU/Hr

COMMUNICATIONS	
EDID Compatible	Yes

CONNECTIONS	
Number of Ports	2
Side A - Connector 1	(2) HD15 (FEMALE)
Side B - Connector 1	HD15 (FEMALE)
Connector Plating	Nickel

FEATURES & SPECIFICATIONS	
Port Selection	Pushbutton
Driver Required	No

STANDARDS & COMPLIANCE	
Product Compliance	RoHS; CE (Europe); REACH; FCC (USA)

WARRANTY	
Product Warranty Period (Worldwide)	1-year limited warranty