

Tripp Lite

1111 W. 35th Street Chicago, IL 60609 USA Telephone: 773.869.1234 www.tripplite.com

USB-C to DVI Adapter with PD Charging, White

MODEL NUMBER: U444-06N-D-C











Adds DVI and USB-C PD charging ports to the USB-C or Thunderbolt 3 port on your tablet, laptop, notebook, MacBook, Chromebook, smartphone or PC.

Description

The U444-06N-D-C USB 3.1 Gen 1 USB-C to DVI Adapter expands the potential of your tablet, laptop, Chromebook, MacBook, smartphone or PC's USB-C or Thunderbolt 3 port. It's ideal for transmitting 1080p video to a large display and powering and charging a PD Charging-compliant mobile device—all at the same time.

With a source device that also supports USB DisplayPort Alternate Mode, you can extend video from your primary display to another, duplicate the same video on both displays, or change the second display to your primary.

The plug-and-play U444-06N-D-C requires no software, drivers or external power. Connect the reversible USB-C plug to your source device's USB-C or Thunderbolt 3 port. The fumble-free USB-C plug connects in either direction to ensure fast, easy connection every time.

To send HD video to a DVI television, projector or monitor, connect the DVI port to the display using a DVI cable (sold separately). The port supports DVI single-link video resolutions up to 1920 x 1080 (1080p) at 60 Hz and DVI digital transfer rates up to 6.75 Gbps (2.25 Gbps per channel).

The USB-C Power Delivery (PD) port provides power and charging to the PD Charging-compliant device (such as a MacBook or Chromebook) the U444-06N-D-C is connected to. Connect the device's AC wall charger to the USB-C PD port, which supports power input up to 20V 3A (60W).

Features

Turn Your Device's USB-C Port into a Multiport WorkstationIdeal for transmitting video to a large display and powering and charging a PD Charging-compliant mobile device simultaneouslyPlug-and-play operation with no software, drivers or external power requiredSmaller than a credit card for easy carrying in a pocket, purse or laptop bag

Transmit Crystal-Clear 1080p Video to DVI DisplayCompatible with USB-C or Thunderbolt 3 source devices that support USB DisplayPort Alternate ModeSupports DVI single-link video resolutions up to 1920 x 1080 (1080p) @ 60 HzSupports DVI digital transfer rates up to 6.75 Gbps (2.25 Gbps per channel)Extends video from your primary display to anotherDuplicates the same video on 2 displaysConverts a secondary display to your primary display

Charge a Connected DeviceUSB-C PD port connects to wall charger to power and charge the connected PD Charging-compliant USB-C/Thunderbolt 3 deviceSupports power input up to 20V 3A (60W)Note: USB-C PD port does not support Quick Charge (QC).

Highlights

- Supports USB DisplayPort Alternate Mode for transmitting video
- Supports DVI video resolutions up to 1920 x 1080 (1080p) @ 60 Hz
- USB-C PD charging port supports power input up to 20V 3A (60W)
- Reversible USB-C plug connects in either direction
- Plug-and-play operation with no software or drivers required

Applications

- Connect to a DVI display via the USB-C port on your laptop, computer or tablet
- Charge the host computer with up to 20V/3A (60W) of power

System Requirements

- Source device with USB-C or Thunderbolt 3 port that supports USB DisplayPort Alternate Mode
- Display device with DVI input (DVI port)

Package Includes

- U444-06N-D-C USB 3.1 Gen 1 USB-C to DVI Adapter
- Owner's manual



Specifications

OVERVIEW		
UPC Code	037332193896	
Technology	DVI	
Host Connector	USB C (MALE)	
VIDEO		
Video Input	USB C (MALE)	
Video Output	DVI-I DUAL LINK (FEMALE)	
Number of Monitors Supported	1	
Video Ports	DVI-I DUAL LINK (FEMALE)	
Resolutions Supported	1920 X 1080 (1080P) @ 60HZ	
Supported Resolutions	1920x1080 (1080p)	
Max Supported Video Resolution	1920 X 1080 (1080P) @ 60HZ	
HDR Support	No	
3D Video Supported	No	
AUDIO		
Audio Specification	Pass-through audio	
INPUT		
Built-In Cable Length (ft.)	0.36	
Built-In Cable Length (m)	11.0	
Built-In Cable Length (in.)	4.33	
Bus Powered	Yes	
Product Length (in.)	6	
Product Length (cm.)	15.24	
Product Length (ft.)	0.5	
Product Length (m.)	0.15	
BATTERY		
Battery Charging (5V/1.5A Port)	No	
POWER		
USB Power Delivery (PD) Charging Support	Yes	



USB Power Delivery (PD) Charging Specification	2.0	
CHARGING		
Number of Charging Ports	1	
Total Charging Watts	60	
Charging Method	AC	
Charging Port Type	USB C (FEMALE)	
Charging Ports Details	Charge the host PC with up to 20V/3A (60W) of power	
Charging Ports	USB-C: 60W (20V 3A) Power Delivery (PD 2.0)	
Charging Ports / Amps	3A	
Charging Amps per Port	3	
PHYSICAL		
Color	White	
Material of Construction	PVC, ABS	
Cable Jacket Rating	VW-1	
Number of Displays	1	
Shipping Dimensions (hwd / cm)	2.03 x 9.91 x 12.19	
Shipping Dimensions (hwd / in.)	0.80 x 3.90 x 4.80	
Shipping Weight (kg)	0.14	
Shipping Weight (lbs.)	0.30	
Unit Dimensions (hwd / in.)	0.55 x 2.3 x 1.6	
Unit Packaging Type	Вох	
Unit Weight (lbs.)	0.07	
Unit Weight (kg)	0.03	
ENVIRONMENTAL		
Operating Temperature Range	32 to 113 F (0 to 45 C)	
Storage Temperature Range	14 to 158 F (-10 to 70 C)	
BTUs	2.1 BTU/Hr	
Power Consumption (Watts)	0.6	
Operating Humidity Range	10% to 85% RH, Non-Condensing	
Storage Humidity Range	5% to 90% RH, Non-Condensing	
Power Provided to Connected Device(s)	20V/3A (60W) Host PC Charging	
CONNECTIONS		



Tripp Lite1111 W. 35th Street
Chicago, IL 60609 USA
Telephone: 773.869.1234

Ports	2	
Side A - Connector 1	USB C (MALE)	
Side B - Connector 1	DVI-I DUAL LINK (FEMALE)	
Side B - Connector 2	USB C (FEMALE)	
Connector Plating	Nickel	
FEATURES & SPECIFICATIONS		
HDCP Specification	1.2	
USB Specification	USB 3.0 (up to 5 Gbps); USB 3.1 Gen 1 (up to 5 Gbps)	
Driver Required	No	
Multi-Resolution Support	No	
STANDARDS & COMPLIANCE		
Certifications	CE, FCC, RoHS, REACH	
WARRANTY		
Product Warranty Period (Worldwide)	3-year limited warranty	

© 2021 Tripp Lite. All rights reserved. All product and company names are trademarks or registered trademarks of their respective holders. Use of them does not imply any affiliation with or endorsement by them. Tripp Lite has a policy of continuous improvement. Specifications are subject to change without notice. Tripp Lite uses primary and third-party agencies to test its products for compliance with standards. See a list of Tripp Lite's testing agencies: https://www.tripplite.com/products/product-certification-agencies