

Tripp Lite

1111 W. 35th Street Chicago, IL 60609 USA Telephone: 773.869.1234 www.tripplite.com

# 4-Port Portable USB 3.0 SuperSpeed Mini Hub, Aluminum

# MODEL NUMBER: U360-004-AL











Connects to the USB 3.0 port on your laptop, Ultrabook or computer to give you four external USB 3.0 ports.

#### Description

The U360-004-AL 4-Port Portable USB 3.0 SuperSpeed Mini Hub's built-in USB cable connects to your laptop, Ultrabook or computer to expand the number of available USB 3.0 ports. Just plug and play with no drivers or external power supply needed. The bus-powered hub distributes 900mA to its four ports. When using a separate cable between the hub's USB Micro-B port and your device to draw additional power, the hub can provide up to 1.5A for fast charging of mobile devices.

This portable hub supports USB 3.0 data transfer rates up to 5 Gbps—ten times faster than USB 2.0—and is backward compatible with USB 2.0 and USB 1.1 devices. All four ports support USB Battery Charging (BC) specification v1.2. The compact aluminum case fits easily into your pocket, backpack, briefcase or laptop bag to power USB-enabled devices wherever you are.

# **Features**

#### Increases Your Computer's USB 3.0 Ports from 1 to 4

- Expands your laptop, Ultrabook or computer's USB 3.0 port to 4 external USB 3.0 ports
- All 4 ports share 900mA when bus-powered
- Can provide up to 1.5A when USB Micro-B port is connected to a second computer USB port

#### **Excellent Speed and Versatile Performance**

- Supports USB 3.0 data transfer rates up to 5 Gbps—10 times faster than USB 2.0
- Backward compatible with USB 2.0 and USB 1.1
- Supports USB Battery Charging (BC) specification v1.2

#### Take the Hub Anywhere

- Compact case made from lightweight aluminum
- Fits easily into your pocket, backpack, briefcase or laptop bag
- Built-in cable is perfect for travel

### **Highlights**

- USB ports can provide up to 1.5A for charging mobile devices
- Supports USB 3.0 data transfer rates up to 5 Gbps
- Plug and play—no drivers or external power supply needed
- Fits easily into pocket, backpack, briefcase or laptop bag
- Backward compatible with USB 2.0 and USB 1.1

# **System Requirements**

 Device with USB port (USB 3.0 port needed to achieve USB 3.0 speeds)

# **Package Includes**

 U360-004-AL 4-Port Portable USB 3.0 SuperSpeed Mini Hub



# **Specifications**

OVERVIEW           UPC Code         037332190512           Product Type         Hub           Technology         USB 3x           Host Connector         USB A (MALE)           VIDEO           DATE OF Monitors Supported         0           PORTS           PORTS         Yes           PORTS         1.4           POWER           POWER OF Leggling (Monitor)         0.36           POWER OF Leggling (Monitor)         0.7           External Power Supply         Yes           Charging Ports Details         USB-x: 5v 1.5A (7.5w)           Charging Ports Detail		
Product Type         Hub           Tachnology         USB 3 x           Host Connector         USB A (MALE)           VIDEO         VIDEO           Number of Monitors Supported         0           DATA           Data Ports         (4) USB A (FEMALE)           Data Ports Details         (4) USB-A - USB 3.2 Gen 1 (5 Gbps)           INPUT           Bus Powered         Yes           Product Length (m.)         14.4           Product Length (m.)         36.57           Product Length (m.)         0.36           POWER           Power Consumption (Watts)         0.7           External Power Supply         Yes           CHARGING           Charging Ports Details         USB ports can provide up to 1.5A for charging mobile devices           Charging Ports         USB-A: 5V 1.5A (7.5W)           Charging Ports / Amps         (4) 1.5A           PHYSICAL           Matorial of Construction         Aluminum           Color         Silver           Cable Jacket Material         TPE           Included Mounting Accessories         No	OVERVIEW	
Technology         USB 3 x           Host Connector         USB A (MALE)           VIDEO           Number of Monitors Supported         0           DATA           Data Ports Details         (4) USB A (FEMALE)           Data Ports Details         (4) USB A - USB 3.2 Gen 1 (6 Gbps)           INPUT           Bus Powerd         Yes           Product Length (m.)         36.57           Product Length (m.)         36.57           Product Length (m.)         0.36           Power Consumption (Waits)         1.2           External Power Supply         Yes           CHARGING           Charging Ports         USB ports can provide up to 1.5A for charging mobile devices           Charging Ports         USB-A: 6V 1.5A (7.5W)           Charging Ports (Amps)         40, 1.5A           PhySiCAL           Material of Construction         Aluminum           Color         Silver           Cable Jacket Material         1PE           Included Mounting Accessories         No	UPC Code	037332190512
VIDEO           VIDEO           Number of Monitors Supported         0           DATA           DATA (4) USB A (FEMALE)           Data Ports         (4) USB A (FEMALE)           Data Ports Details         (4) USB-A - USB 3.2 Gen 1 (6 Gbps)           INPUT           Bus Powered         Yes           Product Length (in.)         14.4           Product Length (em.)         36.57           Product Length (m.)         1.2           Product Length (m.)         0.36           Power Consumption (Watts)         0.7           External Power Supply         Yes           CHARGING           Charging Ports Details         USB ports can provide up to 1.5A for charging mobile devices           Charging Ports / Amps         (4) 1.5A           PHYSICAL           Material of Construction         Aluminum           Color         Silver           Cable Jacket Material         TPE           Included Mounting Accessories         No.	Product Type	Hub
VIDEO           Number of Monitors Supported         0           DATA           Data Ports         (4) USB A (FEMALE)           Data Ports Details         (4) USB-A - USB 3.2 Gen 1 (5 Gbps)           INPUT           Bus Powered         Yes           Product Length (in.)         14.4           Product Length (m.)         36.57           Product Length (m.)         0.36           POWER           Power Consumption (Watts)         0.7           External Power Supply         Yes           CHARGING           Charging Ports Details         USB ports can provide up to 1.5A for charging mobile devices           Charging Ports Details         USB ports can provide up to 1.5A for charging mobile devices           Charging Ports / Amps         (4) 1.5A           PHYSICAL           Material of Construction         Aluminum           Color         Silver           Cable Jacket Material         TPE           Included Mounting Accessories         No	Technology	USB 3.x
Number of Monitors Supported 0  DATA  Data Ports	Host Connector	USB A (MALE)
DATA           Data Ports         (4) USB A (FEMALE)           Data Ports Details         (4) USB-A - USB 3.2 Gen 1 (6 Gbps)           INPUT           Bus Powered         Yes           Product Length (in.)         14.4           Product Length (cm.)         36.57           Product Length (in.)         1.2           Product Length (in.)         0.36           POWER           External Power Supply         Yes           CHARGING           Charging Ports Details         USB ports can provide up to 1.5A for charging mobile devices           Charging Ports / Amps         USB-A: 5V 1.5A (7.5W)           Charging Ports / Amps         (4) 1.5A           PHYSICAL         Material of Construction           Material of Construction         Aluminum           Color         Silver           Cable Jacket Material         TPE           Included Mounting Accessories         No	VIDEO	
Data Ports   (4) USB A (FEMALE)     Data Ports Details   (4) USB-A - USB 3.2 Gen 1 (6 Gbps)     INPUT	Number of Monitors Supported	0
Neutrons   Potestia   (4) USB-A - USB 3.2 Gen 1 (5 Gbps)	DATA	
INPUT  Bus Powered Yes  Product Length (in.) 14.4  Product Length (cm.) 36.57  Product Length (ft.) 1.2  Product Length (m.) 0.36  POWER  Power Consumption (Watts) CHARGING  Charging Ports Details USB ports can provide up to 1.5A for charging mobile devices Charging Ports (4) 1.5A  Physical  Material of Construction Aluminum  Color Silver  Cable Jacket Material TPE Included Mounting Accessories I 4.4.  14.4  14.4  15.4  16.4  16.4  16.4  17.5  Included Mounting Accessories Included	Data Ports	(4) USB A (FEMALE)
Bus Powered Yes Product Length (in.) 14.4 Product Length (em.) 36.57 Product Length (ft.) 1.2 Product Length (m.) 0.36  Power Consumption (Watts) 0.7 External Power Supply Yes  Charging Ports Details USB ports can provide up to 1.5A for charging mobile devices Charging Ports / Amps (4) 1.5A  Physical  Physical  Material of Construction Aluminum  Color Silver  Cable Jacket Material TPE  Included Mounting Accessories No	Data Ports Details	(4) USB-A - USB 3.2 Gen 1 (5 Gbps)
Product Length (in.)         14.4           Product Length (m.)         36.57           Product Length (it.)         1.2           Product Length (m.)         0.36           Power Consumption (Watts)           Power Consumption (Watts)         0.7           External Power Supply         Yes           CHARGING           Charging Ports Details         USB ports can provide up to 1.5A for charging mobile devices           Charging Ports / Amps         USB-A: 5V 1.5A (7.5W)           Charging Ports / Amps         (4) 1.5A           PHYSICAL           Material of Construction         Aluminum           Color         Silver           Cable Jacket Material         TPE           Included Mounting Accessories         No	INPUT	
Product Length (cm.) 36.57  Product Length (ft.) 1.2  Product Length (m.) 0.36  POWER  Power Consumption (Watts) 0.7  External Power Supply Yes  CHARGING  Charging Ports Details USB ports can provide up to 1.5A for charging mobile devices  Charging Ports / Amps (4) 1.5A  PHYSICAL  Material of Construction Aluminum  Color Silver  Cable Jacket Material TPE  Included Mounting Accessories No	Bus Powered	Yes
Product Length (ft.) 1.2 Product Length (m.) 0.36  POWER  Power Consumption (Watts) 0.7 External Power Supply Yes  CHARGING  Charging Ports Details USB ports can provide up to 1.5A for charging mobile devices  Charging Ports / Amps (4) 1.5A  PHYSICAL  Material of Construction Aluminum  Color Silver  Cable Jacket Material TPE  Included Mounting Accessories No	Product Length (in.)	14.4
Product Length (m.)  POWER  Power Consumption (Watts) External Power Supply  Yes  CHARGING  Charging Ports Details USB ports can provide up to 1.5A for charging mobile devices  Charging Ports USB-A: 5V 1.5A (7.5W)  Charging Ports / Amps (4) 1.5A  PHYSICAL  Material of Construction Aluminum  Color Silver  Cable Jacket Material TPE Included Mounting Accessories No	Product Length (cm.)	36.57
Power Consumption (Watts) External Power Supply Yes  CHARGING  Charging Ports Details USB ports can provide up to 1.5A for charging mobile devices Charging Ports Charging Ports USB-A: 5V 1.5A (7.5W) Charging Ports / Amps (4) 1.5A  PHYSICAL  Material of Construction Aluminum  Color Silver  Cable Jacket Material TPE Included Mounting Accessories No	Product Length (ft.)	1.2
Power Consumption (Watts) 0.7  External Power Supply Yes  CHARGING  Charging Ports Details USB ports can provide up to 1.5A for charging mobile devices  Charging Ports USB-A: 5V 1.5A (7.5W)  Charging Ports / Amps (4) 1.5A  PHYSICAL  Material of Construction Aluminum  Color Silver  Cable Jacket Material TPE  Included Mounting Accessories No	Product Length (m.)	0.36
CHARGING  Charging Ports Details  Charging Ports  USB ports can provide up to 1.5A for charging mobile devices  Charging Ports  USB-A: 5V 1.5A (7.5W)  Charging Ports / Amps  (4) 1.5A  PHYSICAL  Material of Construction  Aluminum  Color  Silver  Cable Jacket Material  Included Mounting Accessories  No	POWER	
Charging Ports Details USB ports can provide up to 1.5A for charging mobile devices USB-A: 5V 1.5A (7.5W) Charging Ports / Amps (4) 1.5A  PHYSICAL Material of Construction Aluminum Color Silver Cable Jacket Material Included Mounting Accessories No	Power Consumption (Watts)	0.7
Charging Ports Details  USB ports can provide up to 1.5A for charging mobile devices  USB-A: 5V 1.5A (7.5W)  Charging Ports / Amps  (4) 1.5A  PHYSICAL  Material of Construction  Aluminum  Color  Silver  Cable Jacket Material  Included Mounting Accessories  No	External Power Supply	Yes
Charging Ports USB-A: 5V 1.5A (7.5W)  Charging Ports / Amps (4) 1.5A  PHYSICAL  Material of Construction Aluminum  Color Silver  Cable Jacket Material TPE  Included Mounting Accessories No	CHARGING	
Charging Ports / Amps (4) 1.5A  PHYSICAL  Material of Construction Aluminum  Color Silver  Cable Jacket Material TPE  Included Mounting Accessories No	Charging Ports Details	USB ports can provide up to 1.5A for charging mobile devices
PHYSICAL  Material of Construction Aluminum  Color Silver  Cable Jacket Material TPE  Included Mounting Accessories No	Charging Ports	USB-A: 5V 1.5A (7.5W)
Material of Construction     Aluminum       Color     Silver       Cable Jacket Material     TPE       Included Mounting Accessories     No	Charging Ports / Amps	(4) 1.5A
Color Silver  Cable Jacket Material TPE  Included Mounting Accessories No	PHYSICAL	
Cable Jacket Material TPE Included Mounting Accessories No	Material of Construction	Aluminum
Included Mounting Accessories No	Color	Silver
	Cable Jacket Material	TPE
	Included Mounting Accessories	No
Shipping Dimensions (hwd / cm) 3.05 x 12.45 x 9.91	Shipping Dimensions (hwd / cm)	3.05 x 12.45 x 9.91



Product Warranty Period (Worldwide)	3-year limited warranty	
WARRANTY		
Certification & Compliance	CE (Europe); RoHS; REACH; FCC (USA)	
STANDARDS & COMPLIANCE		
Driver Required	No	
USB Specification	USB 3.0 (up to 5 Gbps); USB 3.1 Gen 1 (up to 5 Gbps)	
USB Hub Ports	Yes	
FEATURES & SPECIFICATIONS		
Connector Plating	Nickel	
Side B - Connector 2	MICRO-USB B (FEMALE)	
Side B - Connector 1	(4) USB 3.0 A (FEMALE)	
Side A - Connector 1	USB 3.0 A (MALE)	
Number of Ports	4	
CONNECTIONS		
Power Provided to Connected Device(s)	5V 1.5A (7.5W) Output per USB Port	
BTUs	2.4 BTU/Hr	
Relative Humidity	0% to 85% RH, Non-Condensing	
Storage Temperature Range	14 to 167 F (-10 to 75 C)	
Operating Temperature Range	-4 to 158 F (-20 to 70 C)	
ENVIRONMENTAL		
Unit Weight (kg)	0.07	
Unit Weight (lbs.)	0.16	
Unit Packaging Type	Вох	
Unit Dimensions (hwd / in.)	0.6 x 2.8 x 2.6	
Shipping Weight (lbs.)	0.22	
Shipping Weight (kg)	0.10	
Shipping Dimensions (hwd / in.)	1.20 x 4.90 x 3.90	

© 2022 Tripp Lite. All rights reserved. All product and company names are trademarks or registered trademarks of their respective holders. Use of them does not imply any affiliation with or endorsement by them. Tripp Lite has a policy of continuous improvement. Specifications are subject to change without notice. Tripp Lite uses primary and third-party agencies to test its products for compliance with standards. See a list of Tripp Lite's testing agencies: <a href="https://www.tripplite.com/products/product-certification-agencies">https://www.tripplite.com/products/product-certification-agencies</a>